DEPT. OF HEALTH, AND HUMAN SERVICES PUBLIC HEALTH SERVICE		OR A VARIANCE 040.11 (c) FOR A	Form Approved No. 57R0068	
FOOD AND DRUG ADMINISTRATION	LASER LIGHT SHOW, DISPLAY OR DEVICE		DOCKET NUMBER	
NOTE: No laser light show or display device ma	vary from compliance with 2	21 CFR 1040.11(c) in design	P4+7 5 78 -2 2 2 2	
or use without the approval of this INSTRUCTIONS  1. Check all applicable boxes and type or print the 2. Submit an original and four (4) copies		fail your application to the He	saring Clerk, Food and Drug 15, 5600 Fishers Lane, Rockville, MD 20857	
1. NAME OF COMPANY				
Topeka Fun Inc / DBA Lollipops Gen	tiemens Club			
2. ADDRESS OF COMPANY (Include ZIP Code)				
4831 Southwest Topeka Blvd, Topek 3. NAME OF RESPONSIBLE PERSON				
Chris Vorhees	4. TELEPHONE NO. (Inc	aude area code)	5. DATE OF SUBMISSION	
6. The applicant requests the variance to be in effect	785 862-2211	the data of issue. (In gener	May 10, 2005 of the Adency will approve	
a variance for only two years. If a longer period is	requested a justification mus	t be attached as part of the	application.)	
7. a. LIST NAME AND MODEL NUMBER(S)	PRODUCT DESCRIP	TION AND USE		
LUMALASER Projector System Ber	amBurst FU-50			
J. PRODUCT FOR WHICH A VARIANCE IS REQU	ESTED	f. PRODUCT IS INTENDE	ED TO BE USED AT ANY ONE LOCATION	
A LASER DISPLAY DEVICE A PROJECTOR FOR A LASER LIGHT SHOW		X MORE THAN 15 D	AYS NOT MODE THAN 15 DAYS	
X A LASER LIGHT SHOW		MORE THAN 5 BUT NOT MORE THAN 15 DAYS LESS THAN 5 DAYS		
OTHER (Specify)				
cPROJECTORS ARE INTENDED FOR SALE, I OTHER LASER LIGHT SHOW PRODUCERS d. PRODUCT IS INTENDED FOR USE IN A PLANETARIUM OR OTHER DOME PROJECT THEATER		g. TOUR IS INTENDED T _X_MORE THAN 6 MOI _1-6 MONTHS _ LESS THAN 1 MONTHER (Specify)	NTHS	
X DISCOTHEQUE OR NIGHT CLUB PAVILION		h ppopust liturizes i	THE FOLLOWING LASER EFFECTS	
_ INDOOR ARENA		x FRONT SCREEN PR	PROJECTIONS	
OUTDOOR ARENA MUSEUM		X REAR SCREEN PROJECTIONS HOLOGRAPHIC DISPLAYS		
OUTDOOR ENCLOSED AREA OTHER (Specify)		x MULTIPLE REFLECTIONS (multiple channels or diffraction effects)		
Other (speary)		AUDIENCE SCANNINGX REFLECTIONS FROM STATIONARY MIRROR(S) OR		
e. PRODUCT IS INTENDED TO BE USED		MIRRORED SURFA	CES NATION OF ROTATING MIRROR BALL(S)	
X AT ONLY ONE (fixed) LOCATION		OR OTHER MIRROF	RED SHAPES	
AT A VARIETY OF (tour) LOCATIONS OTHER (Specify)	,	SCANNING IRRADIATION OF ROTATING MIRROR BALL(S)FIBER OPTIC PROJECTIONS		
		x FOG, SMOKE OR OTHER SCATTERING EFFECTS  OTHER (Specify)		
8.	LASER RADIAT			
LASER MEDIUM(Ar, He-Ne, etc.)  GaALas Diode/GaN	WAVELENGT	HS (nm)	PEAK POWER (Watts)	
GAALAS DIOGEIGAN	410-660		400 mW	
9. IF ANY LASER RADIATION IS PULSED OR SCAL	 NNED. GIVE THE PULSE O	URATION AND RATE AND	SCANNING FREQUENCY AND	
AMPLITUDE  DC-4 KHZ, 0-80° optical X-Y scan			6 C-31	
This, ord opucal A-1 Scall			100 m	
10. REASON FOR REQUESTING VARIANCE  X. COMPLIANCE WITH THE LIMITS OF 21 CF COMPLIANCE WOULD LIMIT THE OUTPUT SUFFICIENTLY VISIBLE OTHER OR ADDITIONAL EXPLANATION (S	POWER TO THE EXTENT	RICT THE INTENDED USE THAT THE DESIRED EFFE	TOFI  4 231	
FORM FDA 3147 (3/87)			41721	
4	^ <i>G</i>		1/40/	

2005 V-0309

VHR 29-1

125/10/10-11

- 11. MANNER IN WHICH IT IS PROPOSED TO DEVIATE FROM THE REQUIREMENTS OF THE APPLICABLE STANDARD

  X.IT IS PROPOSED TO DEVIATE FROM THE PROVISIONS OF 21 CFR 1040.11 (c) IN THAT THE ACCESSIBLE EMISSION LEVEL WOULD EXCEED THE ACCESSIBLE EMISSION LIMITS OF CLASS I OR CLASS II
  - \_ IT IS PROPOSED TO DEVIATE FROM THE PROVISION OF 21 CFR 1040.11 (c) AS FOLLOWS:
- 12. ADVANTAGES TO BE DERIVED FROM SUCH DEVIATION
  - X LASER LIGHT SHOWS AND DISPLAYS ARE ACCEPTED POPULAR MEDIA IN ENTERTAINMENT AND THE ARTS, USE OF POWER LEVELS IN EXCESS OF THE LIMITS IMPOSED BY 21 CFR 1040.11 (c) IS NECESSARY TO ACHIEVE THE REQUIRED EFFECTS IN THESE MEDIA.
  - \_\_ OTHER OR ADDITIONAL ADVANTAGES (describe and explain)
- 13. EXPLAIN THE ALTERNATE MEANS OF RADIATION PROTECTION TO BE PROVIDED. (Check as many boxes as apply. In item 14 "Remarks", justify any boxes not checked, using additional sheets as necessary. State any other means of radiation protection that will be used.)
- a. \_XALL LASER PRODUCTS, SYSTEMS AND PROJECTORS WILL BE CERTIFIED TO COMPLY WITH 21 CFR 1040.10 AND THE CONDITIONS OF THIS VARIANCE AND WILL BE REPORTED AS REQUIRED BY 24 CFR 1002.10 AND 1002.12 USING THE REPORTING GUIDES PROVIDED FOR SUCH PURPOSE. THESE ACTIONS WILL BE ACCOMPLISHED PRIOR TO ANY INTRODUCTION INTO COMMERCE.
- b. X EFFECTS NOT SPECIFICALLY INDICATED IN THIS VARIANCE APPLICATION WILL NOT BE PERFORMED, NO OTHER EFFECTS WILL BE ADDED UNTIL AN AMENDMENT TO THE VARIANCE HAS BEEN OBTAINED AND THE REQUIRED REPORTS OR SUPPLEMENTS, AS APPLICABLE, HAVE BEEN SUBMITTED.
- c. XSCANNING, PROJECTION, OR REFLECTION OF LASER AND COLLATERAL RADIATION (LIGHT SHOW RADIATION) INTO AUDIENCE OR OTHER ACCESSIBLE UNCONTROLLED AREAS WILL NOT BE PERMITTED EXCEPT FOR DIFFUSE REFLECTIONS PRODUCED BY THE ATMOSPHERE, ADDED ATMOSPHERIC SCATTERING MEDIA, AND TARGET SCREENS.
- d. X. LASER RADIATION LEVELS IN EXCESS OF THE LIMITS OF CLASS! WILL NOT BE PERMITTED AT ANY POINT LESS THAN 3.0 METERS ABOVE ANY SURFACE UPON WHICH PERSONS OTHER THAN OPERATORS, PERFORMERS, OR EMPLOYEES ARE PERMITTED TO OR 2.5 METERS BELOW OR IN LATERAL SEPARATION FROM ANY PLACE WHERE SUCH PERSONS ARE PERMITTED TO BE. OPERATORS, PERFORMERS, AND EMPLOYEES WILL NOT BE REQUIRED OR ALLOWED TO VIEW RADIATION ABOVE THE LIMITS OF CLASS! OR BE EXPOSED TO RADIATION ABOVE THE LIMITS SPECIFIED IN 21 CFR 1040.11 (c).
- B. X ANY PRODUCT WHICH RELIES ON SCANNING TO MEET ACCESS, EXPOSURE, OR PRODUCT CLASS LIMITS WILL INCORPORATE A SCANNING SAFEGUARD SYSTEM WHICH DIRECTLY SENSES SCANNER MOTION AND WHICH WILL REACT FAST ENOUGH TO PRECLUDE EXCEEDING THE APPLICABLE LIMIT.
- f. \_X\_ALL LASER LIGHT SHOWS SHALL BE UNDER THE DIRECT AN PERSONAL CONTROL OF TRAINED, COMPETENT OPERATOR(S). THE OPERATOR(S) WILL:
  - (1) IMMEDIATELY TERMINATE THE EMISSION OF LIGHT SHOW RADIATION IN THE EVENT OF ANY UNSAFE CONDITION;
  - (2) BE LOCATED WHERE ALL BEAM PATHS CAN BE DIRECTLY OBSERVED AT ALL TIMES; AND
  - (3) BE AN EMPLOYEE OF THE VARIANCE HOLDER WHO WILL BE RESPONSIBLE FOR THE TRAINING AND CONDUCT OF OPERATOR
- g...X.THE MAXIMUM LASER PROJECTOR OUTPUT POWER WILL NOT EXCEED THE LEVEL REQUIRED TO OBTAIN THE INTENDED EFFECTS.
- h. X THE PROJECTION SYSTEM (I.E., THE PROJECTOR AND ALL OTHER COMPONENTS USED TO PRODUCE THE LIGHTING EFFECTS WILL BE SECURELY MOUNTED OR IMMOBILIZED TO PREVENT UNINTENDED MOVEMENT OR MISALIGNMENT. BEAM LIMITS WILL BE PROVIDED AS AN INHERENT PART OF THE SYSTEM DESIGN TO PREVENT OVERFILLING OF SCREENS, BEAM STOPS, TARGETS, ETC.
- i. \_X\_LASER PROJECTORS WILL NOT BE DELIVERED TO ANY OTHER PARTY UNDER AN AGREEMENT OF SALE, LEASE, OR LOAN UNLESS AND UNTIL THE RECIPIENT DEMONSTRATES THAT THEY HAVE A VARIANCE IN EFFECT AT THE TIME OF DELIVERY THAT PERMITS THEM TO PRODUCE LASER LIGHT SHOWS INCORPORATING SUCH PROJECTOR.
- 7. X. IN ADDITION TO THE REQUIREMENTS OF 21 CFR 1040.10 (h), THE MANUFACTURER OF LASER PROJECTORS/SYSTEMS WILL PROVIDE TO PARTIES WHO PURCHASE, LEASE, OR BORROW THE EQUIPMENT, ADEQUATE USER'S INSTRUCTIONS FOR SAFE INSTALLATION AND OPERATION AND WHICH EXPLAIN THE RESPONSIBILITY OF THE RECIPIENT AS AN INDEPENDENT LIGHT SHOW MANUFACTURER TO SUBMIT THE REQUIRED REPORTS AND APPLY FOR AND OBTAIN A VARIANCE FROM CORH PRIOR TO INTRODUCTION INTO COMMERCE OF ANY LASER LIGHT SHOWS.
- k. X\_THE REQUIREMENTS OF 21 CFR 1002.30 (a)(1) AND (2) WILL BE ACCOMPLISHED THROUGH THE USE OF WRITTEN PROCEDURES FOR SETUP ALIGNMENT, TESTING, AND PERFORMANCE OF EACH SHOW. THESE PROCEDURES WILL BE IN SUFFICIENT DETAIL TO ENSURE COMPLIANCE WITH 21 CFR 1040.10. THE CONDITIONS OF THIS VARIANCE, AND CONTROL OF ACCESS TO RADIATION AREAS USING THE PROCEDURES DESCRIBED IN THE ANSI 2136.1 STANDARD FOR THE SAFE USE OF LASERS (AMERICAN NATIONAL STANDARDS INSTITUTE, 1430 BROADWAY, NEW YORK, NY 10018) OR ANY OTHER EQUIVALENT USER CONSENSUS STANDARD AND AND, WHERE APPLICABLE, STATE OR LOCAL REQUIREMENTS. LASER RADIATION AREAS WHICH CAN CONTAIN RADIATION LEVELS ABOVE THE LIMITS SPECIFIED IN 21 CFR 1040.11(c), WILL BE CLEARLY IDENTIFIED BY THE POSTING OF WARNING SIGNS AND/OR RESTRICTED ACCESS THROUGH PHYSICAL MEANS (SUCH AS PRESSURE SWITCHES, PHOTOCELLS, BARRIERS, GUARDS, ETC.). THESE REQUIREMENTS APPLY TO TEMPORARY AREAS (SUCH AS DURING SETUP AND ALIGNMENT PROCEDURES) AND TO FINAL OR PERMANENT AREAS. THE VARIANCE HOLDER WILL RETAIN THE RECORDS OF THESE PROCEDURES AND THE RESULTS OF ALL TESTS AS REQUIRED BY 21 CFR 1002.31; A COPY OF THE VARIANCE APPLICATION, THE APPROVAL LETTER, CURRENT PROCEDURES AND RECORDS RELATING TO EACH PARTICULAR SHOW WILL BE WITH THE OPERATOR OR OTHER RESPONSIBLE INDIVIDUAL AND WILL BE MADE AVAILABLE FOR INSPECTION BY FDA AND OTHER RESPONSIBLE AUTHORITIES

FORM FDA 3147 (3/87)

- I. X ADVANCE WRITTEN NOTIFICATION WILL BE MADE AS EARLY AS POSSIBLE TO APPROPRIATE FEDERAL, STATE AND LOCAL AUTHORITIES PROVIDING SHOW ITINERARY WITH DATES AND LOCATIONS CLEARLY AND COMPLETELY IDENTIFIED, AND A BASIC DESCRIPTION OF PROPOSED EFFECTS INCLUDING A STATEMENT OF THE MAXIMUM POWER OUTPUT INTENDED. SUCH NOTIFICATIONS WILL BE MADE, BUT NOT NECESSARILY LIMITED TO:
  - (1) THE CENTER FOR DEVICES AND RADIOLOGICAL HEALTH, OFFICE OF COMPLIANCE (HFZ-312),2098 GAITHER ROAD,ROCKVILLE, MD 20880.PROVIDING THE INITIAL AND CLOSING DATES FOR THE FIXED INSTALLATION AND THE ITINERARY FOR MOBILE SHOWS IN ADDITION, UNLESS ALL ASPECTS OF EACH SHOW HAVE BEEN REPORTED AND THE ACCESSION NUMBERS CLEARLY REFERENCED, EACH NOTICE WILL INCLUDE DETAILED DESCRIPTIONS OF EACH SHOW AND A LISTING OF ALL EFFECTS TO BE PERFORMED IN SUFFICIENT DETAIL TO CONFIRM COMPLIANCE WITH THE REGULATIONS AND THIS VARIANCE.

(3) STATE AND LOCAL RADIATION CONTROL OFFICES/AGENCIES FOR ALL SOWS TO BE PERFORMED WITHIN THEIR JURISDICTIONS. ALL REQUIREMENTS OF STATE AND LOCAL LAW WILL BE SATISFIED AND ANY OBJECTIONS RAISED BY LOCAL AUTHORITIES WILL BE RESOLVED OR THE EFFECTS DELETED. (LISTS OF FEDERAL AND STATE OFFICES ARE AVAILABLE FROM THE CENTER FOR DEVICES AND RADIOLOGICAL HEALTH UPON REQUEST.)					
REMARKS					
	4				
			,		
			v		
	,				
	,				
	4				
			•		
· · · · · · · · · · · · · · · · · · ·		CERTIFICATION			

General Manager

Chris Yorhees